

aprilia

2011
MOTORCYCLES



SHIVER GT
750 ABS



Featuring:

- Sport-touring half fairing with 2 storage compartments
- ABS as standard
- Switchable fuel maps with Sport, Touring & Rain modes
- 749.9cc 90° V twin engine
- Range of luggage accessories available



Engine	Aprilia V90 Four stroke longitudinal 90° V twin. Double overhead camshaft with mixed gear/chain drive; four valves per cylinder. Three maps Ride-by-Wire system
Capacity	749cc
Power/Torque	94 hp at 9,000 rpm/79 Nm at 7,250 rpm
Transmission	6 speed, chain
Cooling	Liquid
Front Suspension	43 mm upside-down hydraulic action telescopic fork
Rear Suspension	Single adjustable hydraulic shock absorber
Front brake	Double 320 mm stainless steel floating disc. Four piston radial calipers, metal braided brake line
Rear brake	240 mm stainless steel disc. Single piston caliper. Metal braided brake line. 2-channel Continental ABS system (ABS Version)
Tires	120/70 ZR 17" (F), 180/55 ZR 17" (R)
Running weight	215kg
Fuel Tank	15 litres

ROSSO DAMASCO



NERO COMPETITION



ARGENTO CROWD



RSV4
R APRC



APRC as standard

The entire 2011 Aprilia RSV4 APRC range now features class-leading 8-stage adjustable traction control, wheelie control, launch control and a quick shifter as standard, raising the bar in terms of road and track performance.



>>
COLOUR
RANGE

Engine	Aprilia 65° V4, 4-stroke, liquid cooled, DOHC, four valves per cylinder
Capacity	999.6cc
Power/Torque	180 hp (132.4 kW) at 12,250 rpm / 115 Nm at 10,000 rpm
Transmission	6-speed, chain
Cooling	Liquid
Front Suspension	Sachs USD 43 mm forks, fully adjustable
Rear Suspension	Fully adjustable Sachs shock absorber
Front brake	Dual 320mm floating stainless steel discs. Brembo monobloc radial 4-piston calipers with sintered pads. Radial pump and metal braided brake hoses
Rear brake	220 mm disc. Brembo floating 2-piston caliper with two 32 mm isolated pistons. Pump with integrated tank and metal braided hoses
Tyres	120/70 ZR 17" (F), 190/55 ZR 17" (R)
Dry weight	182kg
Fuel Tank	17 litres (4 litre reserve)

BIANCO GLAM



NERO COMPETITION



TUONO
V4 R



>>
COLOUR
RANGE

Optional APRC

The Tuono V4 R is available with class-leading 8-stage adjustable traction control, wheelie control, launch control and a quick shifter.

Featuring:

- Optional APRC technology
- RSV4 chassis, modified for increased stability
- RSV4 engine, tuned for more flexibility
- Improved pillion seat
- 3-spoke aluminium wheels

Engine	Aprilia 65° V4, 4-stroke, liquid cooled, DOHC, four valves per cylinder
Capacity	999.6cc
Power/Torque	167.3 CV (123 kW) at 11,500 rpm/111.5 Nm at 9,500 rpm
Transmission	6 speed, chain
Cooling	Liquid
Front Suspension	Sachs upside down 43 mm front forks. Completely adjustable spring preload and hydraulic compression and rebound damping
Rear Suspension	Sachs piggy back monoshock with completely adjustable spring preload and hydraulic compression and rebound damping
Front brake	Dual 320 mm floating stainless steel discs. Brembo 4-piston radial calipers with sintered pads. Axial pump master cylinder and metal braided brake hoses
Rear brake	220mm disc. Brembo floating 2-piston caliper. Pump with integrated tank and metal braided hoses
Tyres	120/70 ZR 17" (F), 190/55 ZR 17" (R)
Dry weight	183kg
Fuel Tank	17 litres (4 litre reserve)

NERO COMPETITION



GRIGIO WING



GIALLO SUNLIT



DORSODURO
1200 ABS ATC



>>
COLOUR
RANGE

Featuring:

- A class-leading 130bhp
- Traction control (ATC)
- ABS
- Switchable fuel maps with Sport, Touring & Rain modes

Engine	Aprilia V-twin longitudinal 90°, 4-stroke, liquid cooled, DOHC head controlled by mixed gear/chain drive, four valves per cylinder
Capacity	1197cc
Power/Torque	130 hp (96 kW) at 8,700 rpm/115 Nm at 7,200 rpm
Transmission	6-speed, chain
Cooling	Liquid
Front Suspension	43 mm Sachs USD forks with fully adjustable compression and rebound damping and spring preload
Rear Suspension	Sachs hydraulic shock absorber with fully adjustable compression and rebound damping and spring preload
Front brake	Double stainless steel floating disc Ø 320 mm, Brembo four-piston radial calipers. Metal braided brake line, two-channel ABS system with Aprilia Traction Control (ATC)
Rear brake	Stainless steel disc, Ø 240 mm. Brembo single-piston caliper, metal braided brake line
Tyres	Radial tubeless, 120/70 ZR 17" (F) Radial tubeless, 180/55 ZR 17" (R)
Running weight	223kg
Fuel Tank	15 litres (including 3.5 litre reserve)

BIANCO GLAM



NERO APRILIA



DORSODURO
750 FACTORY



Factory-only features:

- Fully-adjustable 43mm upside-down forks
- Lightweight carbon-fibre bodywork
- Brembo radial 4-piston calipers
- New saddle for improved ease of movement
- Red trellis frame

Engine	Aprilia V90 four stroke longitudinal 90° V twin. Double overhead camshaft with mixed gear/chain drive; four valves per cylinder. Ride-by-Wire System
Capacity	749cc
Power/Torque	90 hp at 8,750 rpm/82 Nm at 4,500 rpm
Transmission	6 speed, chain
Cooling	Liquid
Front Suspension	43 mm upside-down hydraulic action telescopic fork
Rear Suspension	Single adjustable hydraulic shock absorber
Front brake	Double stainless steel wave floating wave disc (Ø 320 mm). Four piston radial calipers. Metal braided brake line
Rear brake	Stainless steel disc (240 mm) with single piston caliper. Metal braided brake line
Tyres	120/70 ZR 17" (F), 180/55 ZR 17" (R)
Running weight	206kg
Fuel Tank	12 litres

NERO VULCAN



DORSODURO 750



Featuring:

- Switchable fuel maps with Sport, Touring & Rain modes
- 749.9cc 90° V twin engine
- Onboard computer with lap timer
- Modular steel trellis and aluminium alloy frame



>>
COLOUR
RANGE

Engine	Aprilia V90 four stroke longitudinal 90° V twin, Double overhead camshaft with mixed gear/chain drive, four valves per cylinder. Ride-by-Wire System
Capacity	749cc
Power/Torque	90 hp at 8,750 rpm/82Nm at 4,500 rpm
Transmission	6 speed, chain
Cooling	Liquid
Front Suspension	43 mm upside-down hydraulic action telescopic fork
Rear Suspension	Single adjustable hydraulic shock absorber
Front brake	Double stainless steel wave floating disc (Ø 320 mm). Four piston radial callipers. Metal braided brake line
Rear brake	Stainless steel disc (240 mm) with single piston calliper. Metal braided brake line
Tyres	120/70 ZR 17" (F), 180/55 ZR 17" (R)
Running weight	206kg
Fuel Tank	12 litres

NERO COMPETITION



VERDE RAPTOR



BIANCO GLAM



MANA GT
850 ABS



Featuring:

- No clutch! Switch between fully automatic or seven speed manual mode on the move
- Protective Half-fairing with adjustable screen
- Helmet compartment with non-scratch lining, mobile phone holder and 12V power socket
- ABS
- Under-seat fuel tank

Engine	Aprilia 90° longitudinal V twin four stroke. Single overhead cam with chain drive, four valves per cylinder. Euro 3
Capacity	839cc
Power/Torque	75 hp at 8,000 rpm/71 Nm at 4,500 rpm
Transmission	6 speed, chain
Cooling	Liquid
Front Suspension	43 mm upside-down hydraulic action telescopic fork
Rear Suspension	Single adjustable hydraulic shock absorber
Front brake	Double stainless steel floating disc (320 mm). Radial callipers with four pistons
Rear brake	Stainless steel disc (260 mm), single piston caliper
Tyres	120/70 ZR 17" (F), 180/55 ZR 17" (R)
Running weight	238kg
Fuel Tank	16 litres



BIANCO GLAM



NERO COMPETITION





Featuring:

- Switchable fuel maps with Sport, Touring & Rain modes
- 749.9cc 90° V twin engine
- Protective fly screen as standard
- Radial brakes with 320 mm wave discs



>>
COLOUR
RANGE

Engine	Aprilia V90 Four stroke longitudinal 90° V twin. Double overhead camshaft with mixed gear/chain drive, four valves per cylinder. Three maps Ride-by-Wire system
Capacity	749cc
Power/Torque	94 hp at 9,000 rpm/79 Nm at 7,250 rpm
Transmission	6 speed, chain
Cooling	Liquid
Front Suspension	43 mm upside-down hydraulic action telescopic fork
Rear Suspension	Single adjustable hydraulic shock absorber
Front brake	Double 320 mm stainless steel floating disc. Four piston radial calipers. Metal braided brake line
Rear brake	240 mm stainless steel disc. Single piston caliper. Metal braided brake line.
Tyres	120/70 ZR 17" (F), 180/55 ZR 17" (R)
Running weight	215kg
Fuel Tank	15 litres

NERO COMPETITION



ARGENTO CROWD



BIANCO GLAM



SHIVER
750

SHIVER GT
750 ABS



Featuring:

- Sport-touring half fairing with 2 storage compartments
- ABS as standard
- Switchable fuel maps with Sport, Touring & Rain modes
- 749.9cc 90° V twin engine
- Range of luggage accessories available



>>
COLOUR
RANGE

Engine	Aprilia V90 Four stroke longitudinal 90° V twin. Double overhead camshaft with mixed gear/chain drive; four valves per cylinder. Three maps Ride-by-Wire system
Capacity	749cc
Power/Torque	94 hp at 9,000 rpm/79 Nm at 7,250 rpm
Transmission	6 speed, chain
Cooling	Liquid
Front Suspension	43 mm upside-down hydraulic action telescopic fork
Rear Suspension	Single adjustable hydraulic shock absorber
Front brake	Double 320 mm stainless steel floating disc. Four piston radial calipers, metal braided brake line
Rear brake	240 mm stainless steel disc. Single piston caliper. Metal braided brake line. 2-channel Continental ABS system (ABS Version)
Tyres	120/70 ZR 17" (F), 180/55 ZR 17" (R)
Running weight	215kg
Fuel Tank	15 litres

ROSSO DAMASCO



NERO COMPETITION



ARGENTO CROWD





Featuring:

- Tried and tested extremely sophisticated Rotax two stroke engine
- Optional Blaggi-rep paint scheme
- Super-rigid aluminium frame and swingarm derived from Aprilia's vast GP experience
- Upside down forks
- Radial 4-piston front brake caliper

Engine	Single cylinder two stroke. Aluminium cylinder with Nikasil coated liner. Read valve intake. Separate lubrication. Homologated to Euro 3 standards
Capacity	124cc
Transmission	6 speed
Cooling	Liquid
Front Suspension	Hydraulic action telescopic fork
Rear Suspension	Adjustable hydraulic single shock absorber
Front brake	Rotating 320 mm disc. Radial caliper with four differential diameter pistons, 32 mm - 27 mm
Rear brake	Single 220 mm disc. Caliper with two 30 mm pistons
Tyres	110/70 17" (F), 150/60 17" (R)
Running weight	137kg
Fuel Tank	14 litres

Available in Full Power & 11kW Versions

SBK ALITALIA



NERO APRILIA



BIANCO GLAM





>>
COLOUR
RANGE

RS
50

Featuring:

- Lightweight wheels with Y spokes
- Optional Biaggi-rep paint scheme
- Radial calipers
- Aluminium frame and swingarm
- Underseat exhaust

Engine	Single cylinder two stroke
Capacity	49cc
Transmission	6 speed
Cooling	Liquid
Front Suspension	Hydraulic action telescopic fork
Rear Suspension	Hydraulic progressive shock absorber
Front brake	Radial caliper with two 28 mm opposed pistons; 300 mm stainless steel disc; aeronautical braided brake hose
Rear brake	180 mm stainless steel disc; caliper with two 25 mm opposed pistons; aeronautical braided brake hose
Tyres	100/80 17" (F), 130/70 17" (R)
Running weight	117kg
Fuel Tank	13 litres

SBK ALITALIA



BIANCO GLAM



aprilia

SXV
550 450



>>
COLOUR
RANGE

Featuring:

- Road-oriented 17" wheels
- 77° V twin four stroke engine
- Mixed trellis and aluminium frame
- Magura tapered aluminium handlebars

Engine	77° V-twin, four stroke, liquid cooled, single overhead camshaft with rocker on the exhaust, chain timing drive, 4 titanium valves
Capacity	449cc (549cc)
Transmission	5-speed, chain
Front brake	Ø 320 mm stainless steel disc with radial caliper
Rear brake	Ø 240 mm stainless steel disc with floating caliper
Tyres	Radial tubeless 120/70 17" (F) Radial tubeless 180/55 17" (R)

OFF BLACK





RXV
450

- Featuring:**
- Off-road oriented 21" front and 19" rear wheels
 - 77° V twin four stroke engine
 - Mixed trellis and aluminium frame
 - Magura tapered aluminium handlebars

Engine	77° V twin, four stroke, liquid cooled, single overhead camshaft with rocker on the exhaust, chain timing drive, 4 titanium valves
Capacity	449cc
Transmission	5-speed, chain, enduro ratios
Front brake	Floating disc in stainless steel with internal aluminium bell Ø 270 mm, floating caliper Nissin
Rear brake	Stainless steel disk, Ø 240 mm floating calliper
Tyres	Metzeler 90/90 x 21" (F) Metzeler 140/80 x 18" (R)

OFF WHITE





RX SX
50

Featuring:

- Styling that mimics it's 450cc siblings
- Single cylinder two stroke
- Ultra-compact digital Instruments

Engine	Single-cylinder, two stroke, light alloy cylinder, liquid cooled
Capacity	49cc
Transmission	6-speed, chain
Front brake	Stainless steel disc, Ø 260 mm (RX), stainless steel disc, Ø 300 mm ventilated (SX), with floating calliper
Rear brake	Stainless steel disc, Ø 180 mm, calliper with opposed pistons
Tyres	RX: 90/90 - 21" (F), 110/80 - 18" (R) SX: 100/80 - 17" (F), 130/70 - 17" (R)

RX OFF WHITE



SX OFF BLACK



aprilia



aprilia



DORSODURO

1200



The Trademark



is the property of



PIAGGIO & C. s.p.a.



Colours and specifications are correct at the time of publishing (May 2011). Aprilia reserves the right to change colours and specification at any time without notice. Always check specification and availability with your local Aprilia dealer when you order. Pictures are for illustration purposes only, actual colours may vary. Errors and Omissions Excepted.